



NOTES 1. ALL DIMENSIONS ARE IN MM. AND LEVELS ARE IN METER UNLESS OTHERWISE SPECIFIED.DIMENSIONS SHALL NOT BE SCALED, ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED. 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH RELEVANT ARCHITECTURAL, STRUCTURAL AND SERVICES DRAWINGS. 3. ANY DISCREPANCY FOUND BETWEEN STRUCTURAL AND ARCHITECTURAL DRAWING SHALL BE BROUGHT TO THE NOTICE OF THE ENGINEER-IN-CHARGE AND GOT APPROVED BEFORE EXECUTION. 4. FOR ANY OVERLAPPING OF THE WORK WITH OTHER AGENCIES, CONTRACTOR SHOULD BRING THE SAME TO THE NOTICE OF ENGINEER.
REV: DESCRIPTION: BY: DATE:
PROJECT NO: - SCALE: 1:20 SHEET SIZE: A3 DRAWING NO: IPE/JSCL/NMT/05B REVISION: - UNIT: mm



NOTES 1. ALL DIMENSIONS ARE IN MMAND LEVELS ARE IN METER UN OTHERWISE SPECIFIED.DIMENSIONS SHALL NOT BE SCALED, ONLY WRITTEN DIMENSIONS ARE TO E FOLLOWED. 2. THIS DRAWING IS TO BE RE IN CONJUNCTION WITH RELEVAN ARCHITECTURAL, STRUCTURAL AN SERVICES DRAWINGS. 3. ANY DISCREPANCY FOUND BETWEEN STRUCTURAL ANI ARCHITECTURAL DRAWING SHALL BE BROUGHT TO TH NOTICE OF THE ENGINEER-IN-CHARGE AND GOT APPROVED BEFORE EXECUTION. 4. FOR ANY OVERLAPPING OF TWORK WITH OTHER AGENCIES, CONTRACTOR SHOULD BRING TH SAME TO THE NOTICE OF ENGINEER.	ILESS NS BE AD NT ND D HE D THE
REV: DESCRIPTION: BY:	DATE:
gement Consultant Jabalpur Smart City	HEET SIZE: .3
IPE/JSCL/NMT/05C	
ing Lives.	
fence Colony,	



	NOTES 1. ALL DIMENSIONS ARE IN MM. AND LEVELS ARE IN METER UNLESS OTHERWISE SPECIFIED.DIMENSIONS SHALL NOT BE SCALED, ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
	2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH RELEVANT ARCHITECTURAL, STRUCTURAL AND SERVICES DRAWINGS.
SEWER CHAMBER	3. CONCRETE GRADE FOR R.C.C, WORK SHALL BE M20 (NOMINAL MIX) UNLESS OTHERWISE NOTED.
l	4. O.P.C. OR P.P.C. OF GRADE 43 SHALL BE USED FOR ALL CONCRETE WORKS.
	5. NOMINAL COVER TO REINFORCEMENT SHALL BE 30 MM.
	6. ALL REINFORCEMENT ARE OF 8 MM DIA. TOR UNLESS NOTED OTHERWISE. 7. ALL REINFORCEMENTS UNLESS NOTED OTHERWISE SHALL BE OF TESTED QUALITY, HIGH YIELD STRENGTH DEFORMED BARS OF GRADE Fe 500 CONFORMING TO IS:1786-1985.
	8. ANY DISCREPANCY FOUND BETWEEN STRUCTURAL AND ARCHITECTURAL DRAWING SHALL BE BROUGHT TO THE NOTICE OF THE ENGINEER-IN-CHARGE AND GOT APPROVED BEFORE EXECUTION.
	9. FOR ANY OVERLAPPING OF THE WORK WITH OTHER AGENCIES, CONTRACTOR SHOULD BRING THE SAME TO THE NOTICE OF ENGINEER.
	REV: DESCRIPTION: BY: DATE: PROJECT NO: SCALE: SHEET SIZE:
gement Consultant Jabalpur Smart City	I:20 A3
	DRAWING NO: IPE/JSCL/NMT/04
ning Lives.	REMISION: R1
efence Colony,	